Date

Thursday, 8/30/2007 3:51:25 PM

User: Kim Johnston **Process Sheet Drawing Name** : SADDLE FITTING, FWD (OUTBOARD/INBOARD) : CU-DAR001 Dart Helicopters Services Customer Job Number : 34368 : 10531 **Estimate Number** Part Number : D2572 P.O. Number S.O. No. : NA D2572 REV E **Drawing Number** : 8/30/2007 This Issue : N/A Prsht Rev. Project Number : MACHINED PARTS First Issue **Drawing Revision** : 33041 Material Previous Run Due Date 8 Um: Each Written By Checked & Approved By : Est: 1 02.10.02 Re-format; Change to Dwg Rev. D & Comment incorporated D2572 KJ **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 7075-T7351 8.25X5.0X2.5 D6101005 1.0 Comment: Qtv.: 1.0000 Each(s)/Unit Total: 8.0000 Each(s) 7075-T7351 8.25X5.0X2.5 Make from D6101-005 billet for D2572 Ensure that grain is along 5.00" length Batch No: 15-31388 2.0 HAAS1 HAAS CNC VERTICAL MACHINING #1 Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. _____Double check by:_ 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks 5-Tumble to remove shap edges. MILLING CONV CONVENTIONAL MILLING MACHINE 3.0 Comment: CONVENTIONAL MILLING MACHINE Machine keyway as per dwg D2571 & D2572 INSPECT PARTS AS THEY COME OFF MAC 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Dart Aerospace Ltd	D	art	Aeı	OSI	pace	Ltd
---------------------------	---	-----	-----	-----	------	-----

W/O:		WORK ORDER CHANGES								
DATE STEP		PROCEDURE CHANGE		PROCEDURE CHANGE		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
							-			
				17 x 1 alon x						

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:	01/10/3
			QA: N/C Closed:	Date:	

NCR:			NORK ORDI	ER NON-CONFORMANC	CE (NCR)			
		Description of NC		Corrective Action Section B		Verification	A	Annanal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval , Chief Eng	Approval QC Inspector
							1	
								

NOTE: Date & initial all entries

Thursday, 8/30/2007 3:51:25 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 34368 Part Number: D2572 Job Number: Seq. #: Description: Machine Or Operation: SECOND CHECK 50 QC8 Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING M 105068 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVE 8.0 Comment: INSPECT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: < 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE L 67.10.30 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES	3				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					<u> </u>		
	-		7	·			
Part No		PAP #: Fault Category:	NCD: Voc	No DO		Data	

			•		QA: N/0	Closed:	Date: _	· .
NCR:		W	ORK OR	DER NON-CONFORMANCE	(NCR)			
D.4.T.E	0755	Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
		•				-		
		,						
				·			,	
			·					

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	34368
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:


		*****		Re	corded Act	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	139	.440	1440	.440		
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	3.495	3.505	7	3.500	3500	3.500	3-500		
D	1.745	1.755		1.150	1.750	1.750	1.750		
E	7.990	8.010		8.005	8.005	8.000	8001		
F	0.490	0.510		.505	.406	.592	.505		
G	0.257	0.262	DT8683	. 258	. 258	.758	.258		
Н	0.375	0.380	DT8684	.376	-376	,376	376		
1	0.490	0.510		406	502	.505	-505		
J	1.174	1.184		1.179	1.179	1.179	1.180		
K	0.558	0.578		4741	578	5-71	.571		
L	1.174	1.184		1.179	1.179	1.179	1.180		
М	1.490	1.500	,	1.495	1.495	1.495	1,498		
N	2.495	2.505		7.500	7.500	2.500	2-5-00		
0	3.869	3.879		3.874	3.874	3.87-1	3-874		
Р	0.115	0.135		122	-122	.124	.124		<u> </u>
Q	0.115	0.135		123	120	135	135		
R	0.240	0.260	_	. 251	.251	. 750	,250		
S	0.115	0.135		:175	.129	-130	,130	,	
Т	0.178	0.198		.188	.188	. 18.8.	-188		
U	2.940	2.980		7.960	7.960	2.960	2-960		
V	0.230	0.250		.240	.242	.239	239		
W	0.115	0.135		1125	.125	1,125	.124		
X	0.307	0.312		.312	·3/Z	.311	311		
Υ	0.760	0.765		-743	-760	760	.760		
Z	0.352	0.372		. 366	.36	.360	1360		
AA	0.470	0.530		. 500	.500	,500	1500		
AB	0.615	0.635		.630	1630	.630	.630		
AC	0.053	0.073		.063	-063	-063	-063		
AD	0.240	0.260		.245	,241	. 245	. 245		
AE	1.375	1.395		1.387	1.387	2387	1317		
AF	0.115	0.135		1125	.125	.125	125		
AG	0.240	0.280		. 250	.250	075.	250		
AH	0.240	0.260		.750	.750	-25b	1250		
ΑI	2.000	2.020		2.000	7.000	21000	2.000		
ΑĴ	0.023	0.043		. 033	-033	.073	.073		
	Ac	cept/Reje	ct						

Measured by: Audited by J.F.

Date: 01/0/26

Date: 07/10/26

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	-1
Е	05.12.05	Added dimension AJ	KJ/JLM 🔾	all
				7.7



DART AEROSPACE LTD	Work Order:	34368
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				R	Recorded Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	51	62	7 a	50	Ву	Date
Α	0.438	0.443	DT8682	440	440	440	1440		
В	1.745	1.755		1.750	1,750	1.750	1.750		· .
С	3.495	3.505		3200	3.500	3500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1-750		
E	7.990	8.010		8.08	2.000	8,000	9.000		
F	0.490	0.510	,	,502	.502	.502	502		
G	0.257	0.262	DT8683	,257	.257	476.8	.25-8		
Н	0.375	0.380	DT8684	-377	,377	375	.375		
1	0.490	0.510		,503	·503	503	-503		
J	1.174	1.184		1.180	1,180	1179	1-180		
K	0.558	0.578		.571	1.572	572	1569		
L	1.174	1.184		1.180	1.180		1-180		
М	1.490	1.500		1.495	11495	1.495	1.496		
N	2.495	2.505		2-500	2-500	2,500	2500		
0	3.869	3.879		3-874	3.374	3.874	3.875		
Р	0.115	0.135		123	.123	.123	1123		
Q	0.115	0.135		135	136	.135	13(
R	0.240	0.260		.250	250	250	.251		
S	0.115	0.135		-126	125	,125	126		
T ·	0.178	0.198		144	.188	184	188		
U	2.940	2.980		2.967	2.967	2.963	2.961		
V	0.230	0.250		,23×	,238	. 240	, 245		
W	0.115	0.135		128	1128	.128	, 128		
X	0.307	0.312		.310	.310	.310	310		
Υ	0.760	0.765		,760	1760	,760	.760		
Z	0.352	0.372		1360	ر پار ،	.360	360		
AA	0.470	0.530		1500	-500	-500	.500		
AB	0.615	0.635		630	.630	-630	0591		
AC	0.053	0.073		,063	.063	1063	1063		
AD	0.240	0.260		.250	.250	.250	-250		
AE	1.375	1.395		1.387	1.386	1.386	1.380		
AF	0.115	0.135		121	.125	.125	.125		
AG	0.240	0.280		250	250	.20	,250		
АН	0.240	0.260		.250	1250	250	,250		
Al	2.000	2.020		2,002	Z:00/	2.001	2,000		
AJ	0.023	0.043		2.003	(63)	,033	.033		
	Ac	cept/Reje	ct						

	·
Measured by:	Audited by T-
Date: 07/10/25	Date: 07/10/26

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	
			7(7	7.7

